

SAFETY DATA SHEET

according to Regulation (EU) 2015/830

Page 1/5

Sifalbronze No 32

Revision 1
Revision date 2015-11-16

SECTION 1: Identification of the substance/mixture and of the company/undertaking				
1.1. Product identifier				
Product name	Sifalbronze No 32			
Product code	RO32[16/24/32][01/25/50]			
1.2. Relevant identified uses of the substance or mixture and uses advised against				
Product Use	[SU3] Industrial uses: Uses of substances as such or in preparations at industrial sites; [SU15] Manufacture of fabricated metal products, except machinery and equipment; [PC38] Welding and soldering products (with flux coatings or flux cores.), flux products;			
1.3. Details of the supplier of th	e safety data sheet			
Company	Weldability Sif			
Address	Peters House, The Orbital Centre, Icknield Way, Letchworth Garden City, Hertfordshire, SG6 1ET. UK.			
Web	www.weldability-sif.com			
Telephone	0870 330 7757			
Fax	0800 970 7757			
Email	service@weldability-sif.com			
Email address of the competent person	msds@weldability-sif.com			
1.4. Emergency telephone num	ber			

1.4. Emergency telephone number

Emergency telephone number	0870 330 7757
Company	Weldability Sif

8.30 - 5.30 Mon - Fri

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Xn; R40-48/20 Xi; R43 Symbols: Xn: Harmful.
Limited evidence of a carcinogenic effect. May cause sensitisation by skin contact. Harmful: danger of serious damage to health by prolonged exposure through inhalation.
Skin Sens. 1: H317; Carc. 2: H351; STOT RE 2: H373;

2.2. Label elements

Revision 1 Revision date 2015-11-16

2.2. Label elements

Hazard pictograms	
Signal Word	Warning
Hazard Statement	Skin Sens. 1: H317 - May cause an allergic skin reaction.
	Carc. 2: H351 - Suspected of causing cancer .
	STOT RE 2: H373 - May cause damage to organs through prolonged or repeated exposure.
Precautionary Statement:	P201 - Obtain special instructions before use.
Prevention	P202 - Do not handle until all safety precautions have been read and understood.
	P260 - Do not breathe dust/fume/gas/mist/vapours/spray.
	P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.
	P272 - Contaminated work clothing should not be allowed out of the workplace.
	P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary Statement:	P302+P352 - IF ON SKIN: Wash with plenty of water/ .
Response	P308+P313 - IF exposed or concerned: Get medical advice/attention.
	P314 - Get medical advice/attention if you feel unwell.
	P321- Specific treatment (see on this label).
	P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
Precautionary Statement: Storage	P405 - Store locked up.
Precautionary Statement: Disposal	P501 - Dispose of contents/container to

SECTION 3: Composition/information on ingredients

3.2. Mixtures

67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
Copper (Copper fume)		7440-50-8	231-159-6				
aluminium powder (stabilised) (Aluminium metal)	013-002-00-1	7429-90-5	231-072-3			F; R11-15	
Nickel	028-002-00-7	7440-02-0	231-111-4			Carc. Cat. 3; R40 T; R48/23 R43	
Silicon		7440-21-3	231-130-8				

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
Copper (Copper fume)		7440-50-8	231-159-6				
aluminium powder (stabilised) (Aluminium metal)	013-002-00-1	7429-90-5	231-072-3			Water-react. 2: H261; Flam. Sol. 1: H228;	
Nickel	028-002-00-7	7440-02-0	231-111-4			Carc. 2: H351; STOT RE 1: H372; Skin Sens. 1: H317;	

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air. Seek medical attention if irritation or symptoms persist.
Eye contact	Avoid contact with eyes. Seek medical attention.
Skin contact	Wash off immediately with plenty of soap and water.
Ingestion	If swallowed, seek medical advice immediately and show this container or label.

SECTION 5: Firefighting measures

Revision 1 Revision date 2015-11-16

5.1. Extinguishing media

Extinguishing media. Carbon dioxide (CO2). Dry chemical. For large fires:. Alcohol resistant foam. Water jet.

5.3. Advice for firefighters

Self-contained breathing apparatus. Wear suitable respiratory equipment when necessary.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid formation of dust. Ensure adequate ventilation of the working area.

6.3. Methods and material for containment and cleaning up

Sweep up. No specific clean up requirements. Refer to disposal considerations in Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Wear suitable gloves.

7.2. Conditions for safe storage, including any incompatibilities

Keep container tightly closed and dry.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Exposure Limit Values

aluminium powder (stabilised)	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: -
(Aluminium metal)		
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total 10	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total 4	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:
Copper (Copper dusts and mists	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: 1
(as Cu))		
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: 2
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:
Copper (Copper fume)	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: 0.2
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:
Silicon	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: -
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total 10	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total 4	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:

8.2. Exposure controls

Revision 1
Revision date 2015-11-16

8.2. Exposure controls







8.2.1. Appropriate engineering

controls

8.2.2. Individual protection

measures

Eye / face protection

Skin protection - Handprotection

Respiratory protection

 $\label{eq:Keep away from foodstuffs, beverages and feed.}$

Use appropriate personal protective equipment.

Wear suitable protective clothing and eye/face protection.

Wear suitable gloves.

In case of insufficient ventilation, wear suitable respiratory equipment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Solid
Colour Brown
Odour Chara

r Brown
Characteristic

Melting point 1030 °C

SECTION 10: Stability and reactivity

10.2. Chemical stability

Stable under normal conditions.

10.6. Hazardous decomposition products

None.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Skin corrosion/irritation

May cause irritation to skin in susceptible persons.

Respiratory or skin sensitisation

May cause sensitisation by inhalation. Inhalation may cause nausea and vomiting. May cause drowsiness or dizziness.

SECTION 12: Ecological information

Further information

Avoid release to the environment. Refer to special instructions/Safety data sheets.

SECTION 13: Disposal considerations

General information

This material and its container must be disposed of in a safe way.

Disposal methods

Dispose of in compliance with all. local and national regulations.

SECTION 14: Transport information

14.1. UN number

The product is not classified as dangerous for carriage.

14.2. UN proper shipping name

The product is not classified as dangerous for carriage.

Revision 1
Revision date 2015-11-16

14.3. Transport hazard class(es)			
	The product is not classified as dangerous for carriage.		
14.4. Packing group			
	The product is not classified as dangerous for carriage.		
14.5. Environmental hazards			
	The product is not classified as dangerous for carriage.		
14.6. Special precautions for us	14.6. Special precautions for user		
	The product is not classified as dangerous for carriage.		
14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code			
	The product is not classified as dangerous for carriage.		
SECTION 15: Regulatory in	formation		

SECTION 16: Other informa	ition
Other information	
Revision	This document differs from the previous version in the following areas:. 2 - 2.1.2. Classification - EC 1272/2008. 2 - Signal Word. 2 - Precautionary Statement: Prevention. 2 - Precautionary Statement: Response. 2 - Precautionary Statement: Storage. 2 - Precautionary Statement: Disposal. 9 - 9.1. Information on basic physical and chemical properties (Melting point).
Text of risk phrases in Section 3	· · · · · · · · · · · · · · · · · · ·
Text of Hazard Statements in Section 3	Flam. Sol. 1: H228 - Flammable solid. Water-react. 2: H261 - In contact with water releases flammable gases. Skin Sens. 1: H317 - May cause an allergic skin reaction. Carc. 2: H351 - Suspected of causing cancer . STOT RE 1: H372 - Causes damage to organs through prolonged or repeated exposure .
General information	
	The information supplied in this safety data sheet is designed only as guidance for safe use, storage and handling of the product. This information relates only to the specific goods listed and may not be valid for such material used in combination with any other product(s). This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy.