

SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

Page 1/4

Silver Solder No 39

Revision 0
Revision date 2011-01-28

	Revision date 2011-01-28			
SECTION 1: Identification of	of the substance/mixture and of the company/undertaking			
1.1. Product identifier				
Product name	Silver Solder No 39			
Product code	RO392504, RO391506, RX39[15/20/25]00			
1.2. Relevant identified uses of	of the substance or mixture and uses advised against			
Product Use	[SU3] Industrial uses: Uses of substances as such or in preparations at industrial sites; [PC38]			
	Welding and soldering products (with flux coatings or flux cores.), flux products;			
1.3. Details of the supplier of t	he safety data sheet			
Company	Weldability Sif			
Address	Peters House,			
	The Orbital Centre,			
	Icknield Way,			
	Letchworth Garden City, Hertfordshire,			
	SG6 1ET.			
	UK.			
	www.weldability-sif.com			
Telephone	0870 330 7757			
Fax	0800 970 7757			
Email	service@weldability-sif.com			
Email address of the	msds@weldability-sif.com			
competent person				
1.4. Emergency telephone nur	<u> </u>			
Emergency telephone number	0870 330 7757			
Company	Weldability Sif			
	8.30 to 5.30 Mon - Fri			
SECTION 2: Hazards ident	ification			
2.1 Classification of the substance or mixture				

2.1. Classification of the substance or mixture

2.1.1. Classification - N; R50/53 1999/45/EC

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Silver Solder No 39

Revision 0 Revision date 2011-01-28

3.2. Mixtures

67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EINECS No.	REACH Registration Number	Conc. (%w/w) Classification
Silver (Silver, metallic)		7440-22-4	231-131-3		30 - 40%
Copper (Copper fume)		7440-50-8	231-159-6		30 - 40%
Zinc powder - zinc dust	030-002-00-7	7440-66-6	231-175-3		20 - 30% N; R50/53
Tin		7440-31-5	231-141-8		1 - 10%

SECTION 4: First aid measures					
4.1. Description of first aid mea	4.1. Description of first aid measures				
Inhalation	Move the exposed person to fresh air. Seek medical attention if irritation or symptoms persist.				
Eye contact	Avoid contact with eyes. Seek medical attention.				
Skin contact	Wash off immediately with plenty of soap and water.				
Ingestion	If swallowed, seek medical advice immediately and show this container or label.				
SECTION 5: Firefighting me	easures				
5.1. Extinguishing media					
	Extinguishing media. Carbon dioxide (CO2). Dry chemical. For large fires:. Alcohol resistant foam. Water jet.				
5.3. Advice for firefighters					
	Self-contained breathing apparatus. Wear suitable respiratory equipment when necessary.				
SECTION 6: Accidental rele	ease measures				
6.1. Personal precautions, prof	ective equipment and emergency procedures				
	Avoid formation of dust. Ensure adequate ventilation of the working area.				
6.3. Methods and material for o	containment and cleaning up				
	Sweep up. No specific clean up requirements. Refer to disposal considerations in Section 13.				
SECTION 7: Handling and storage					
7.1. Precautions for safe handling					
	Wear suitable gloves.				
7.2. Conditions for safe storage, including any incompatibilities					
	Keep container tightly closed and dry.				

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Exposure Limit Values


Silver Solder No 39

Revision 0 Revision date 2011-01-28

8.1. Control parameters

Copper (Copper dusts and mists (as Cu))	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: 1
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: 2
Copper (Copper fume)	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: 0.2
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
Silver (Silver, metallic)	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: 0.1
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -

8.2. Exposure controls



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State	Solid
Colour	Brown
Odour	Characteristic
Melting point	650 - 725 °C

SECTION 10: Stability and reactivity

10.2. Chemical stability

Stable under normal conditions.

10.6. Hazardous decomposition products

None.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Skin corrosion/irritation	May cause irritation to skin in susceptible persons.
Respiratory or skin	May cause sensitisation by inhalation. Inhalation may cause nausea and vomiting. May cause
sensitisation	drowsiness or dizziness.

SECTION 12: Ecological information

Further information

Avoid release to the environment. Refer to special instructions/Safety data sheets.

SECTION 13: Disposal considerations

Silver Solder No 39

Revision Revision date 2011-01-28

_			4.5
General	ınt <i>c</i>	۱rma	tion.
Ochela		nnia	uvii

General information				
	This material and its container must be disposed of in a safe way.			
Disposal methods				
	Dispose of in compliance with all. local and national regulations.			

SECTION 14: Transport information

ADR/RID

The product is not classifed as dangerous for carriage.

IMDG

The product is not classifed as dangerous for carriage.

IATA

The product is not classifed as dangerous for carriage.

SECTION 15: Regulatory information

Labelling

Symbols

N: Dangerous for the environment.



SECTION 16: Other information

Other information

-	General information	
	3	environment.
	Text of risk phrases in Section	R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

General information

The information supplied in this safety data sheet is designed only as guidance for safe use, storage and handling of the product. This information relates only to the specific goods listed and may not be valid for such material used in combination with any other product(s). This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy.