

## SAFETY DATA SHEET

according to Regulation (EU) 2015/830

Page 1/6

### Sif Silvercote No 43

Revision 1

Revision date 2015-11-16

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

Product name	Sif Silvercote No 43
Product code	RR4315[06/01] + RX431500

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Product Use	[SU3] Industrial uses: Uses of substances as such or in preparations at industrial sites; [SU15] Manufacture of fabricated metal products, except machinery and equipment; [PC38] Welding and soldering products (with flux coatings or flux cores.), flux products;
-------------	--

##### 1.3. Details of the supplier of the safety data sheet

Company	Weldability   Sif
Address	Peters House, The Orbital Centre, Icknield Way, Letchworth Garden City, Hertfordshire, SG6 1ET. UK.
Web	www.weldability-sif.com
Telephone	0870 330 7757
Fax	0800 970 7757
Email	service@weldability-sif.com
Email address of the competent person	msds@weldability-sif.com

##### 1.4. Emergency telephone number

Emergency telephone number	0870 330 7757
Company	Weldability Sif 8.30 - 5.30 Mon - Fri

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

2.1.1. Classification - 1999/45/EC	N; R51/53 Symbols: N: Dangerous for the environment.
Main hazards	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
2.1.2. Classification - EC 1272/2008	Repr. 1B: H360FD; Aquatic Chronic 2: H411;

##### 2.2. Label elements

Hazard pictograms	
-------------------	---

## Sif Silvercote No 43

Revision 1

Revision date 2015-11-16

## 2.2. Label elements

Signal Word	Danger
Hazard Statement	Repr. 1B: H360FD - May damage fertility. May damage the unborn child. Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.
Precautionary Statement: Prevention	P201 - Obtain special instructions before use. P202 - Do not handle until all safety precautions have been read and understood. P273 - Avoid release to the environment. P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary Statement: Response	P308+P313 - IF exposed or concerned: Get medical advice/attention. P391 - Collect spillage.
Precautionary Statement: Storage	P405 - Store locked up.
Precautionary Statement: Disposal	P501 - Dispose of contents/container to

## SECTION 3: Composition/information on ingredients

## 3.2. Mixtures

## 67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
Silver (Silver, metallic)		7440-22-4	231-131-3				
zinc powder - zinc dust (stabilised).	030-001-01-9	7440-66-6	231-175-3			N; R50/53	
Copper (Copper fume)		7440-50-8	231-159-6				
boric acid. .	005-007-00-2	10043-35-3	233-139-2			Repr. Cat. 2; R60-61	
disodium tetraborate, anhydrous. . (Disodium tetraborate, anhydrous)	005-011-00-4	1330-43-4	215-540-4			Repr. Cat. 2; R60-61	

## EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
Silver (Silver, metallic)		7440-22-4	231-131-3				
zinc powder - zinc dust (stabilised).	030-001-01-9	7440-66-6	231-175-3			Aquatic Acute 1: H400; Aquatic Chronic 1: H410;	
Copper (Copper fume)		7440-50-8	231-159-6				
boric acid. .	005-007-00-2	10043-35-3	233-139-2			Repr. 1B: H360FD;	
disodium tetraborate, anhydrous. . (Disodium tetraborate, anhydrous)	005-011-00-4	1330-43-4	215-540-4			Repr. 1B: H360FD;	

## SECTION 4: First aid measures

## 4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air. Seek medical attention if irritation or symptoms persist.
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Avoid contact with eyes.
Skin contact	No irritation expected.
Ingestion	DO NOT INDUCE VOMITING. DO NOT DRINK. If swallowed, seek medical advice immediately and show this container or label.

## SECTION 5: Firefighting measures

## 5.1. Extinguishing media

	Carbon dioxide (CO2). Extinguishing media. Water spray.
--	---

## 5.3. Advice for firefighters

	Wear suitable respiratory equipment when necessary.
--	---

## Sif Silvercote No 43

Revision 1

Revision date 2015-11-16

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

Avoid formation of dust. Ensure adequate ventilation of the working area.

**6.2. Environmental precautions**

Advise local authorities if large spills cannot be contained.

**6.3. Methods and material for containment and cleaning up**

Dispose of in compliance with all local regulations. Refer to disposal considerations in Section 13.

**SECTION 7: Handling and storage****7.1. Precautions for safe handling**

Handle and open container with care. Wear suitable gloves.

**7.2. Conditions for safe storage, including any incompatibilities**

Advised preservation period under normal conditions is 6 months. Keep container tightly closed and dry.

**SECTION 8: Exposure controls/personal protection****8.1. Control parameters****8.1.1. Exposure Limit Values**

Copper (Copper dusts and mists (as Cu))	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: 1
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: 2
	WEL 8-hr limit mg/m3 total - inhalable dust:	WEL 15 min limit mg/m3 total - inhalable dust:
	WEL 8-hr limit mg/m3 total - respirable dust:	WEL 15 min limit mg/m3 total - respirable dust:
Copper (Copper fume)	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: 0.2
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total - inhalable dust:	WEL 15 min limit mg/m3 total - inhalable dust:
	WEL 8-hr limit mg/m3 total - respirable dust:	WEL 15 min limit mg/m3 total - respirable dust:
disodium tetraborate, anhydrous. (Disodium tetraborate, anhydrous)	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: 1
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total - inhalable dust:	WEL 15 min limit mg/m3 total - inhalable dust:
	WEL 8-hr limit mg/m3 total - respirable dust:	WEL 15 min limit mg/m3 total - respirable dust:
Silver (Silver, metallic)	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: 0.1
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total - inhalable dust:	WEL 15 min limit mg/m3 total - inhalable dust:
	WEL 8-hr limit mg/m3 total - respirable dust:	WEL 15 min limit mg/m3 total - respirable dust:

**8.2. Exposure controls**

## Sif Silvercote No 43

Revision 1  
Revision date 2015-11-16

## 8.2. Exposure controls

8.2.1. Appropriate engineering controls	Keep away from foodstuffs, beverages and feed.
8.2.2. Individual protection measures	Remove contaminated clothing. Wear suitable protective equipment.
Eye / face protection	Avoid contact with eyes. Wear eye/face protection.
Skin protection - Handprotection	Wear suitable gloves. Wash hands after handling the product.
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment.

## SECTION 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

Appearance	Solid/Powder
Colour	White
Odour	Characteristic
Melting point	630 - 660 °C
Solubility	Slightly soluble in water

## SECTION 10: Stability and reactivity

## 10.2. Chemical stability

	Stable under normal conditions.
--	---------------------------------

## 10.3. Possibility of hazardous reactions

	No Significant Hazard.
--	------------------------

## 10.6. Hazardous decomposition products

	Hydrogen fluoride.
--	--------------------

## SECTION 11: Toxicological information

## 11.1. Information on toxicological effects

Skin corrosion/irritation	May cause allergic reactions in susceptible people.
Serious eye damage/irritation	No irritation expected.
Respiratory or skin sensitisation	May cause sensitisation by inhalation. Inhalation may cause nausea and vomiting. May cause drowsiness or dizziness.

## SECTION 12: Ecological information

## Further information

	Toxic to aquatic organisms. Water endangering. Do not allow product to enter drains. Do not flush into surface water.
--	---

## SECTION 13: Disposal considerations

## Disposal methods

	This material and its container must be disposed of in a safe way. Local and national regulations. Do not mix with household rubbish.
--	---

## SECTION 14: Transport information

## Hazard pictograms

	 
--	---

## Sif Silvercote No 43

Revision 1

Revision date 2015-11-16

14.1. UN number	
	UN3288
14.2. UN proper shipping name	
	TOXIC SOLID, INORGANIC, N.O.S.
14.3. Transport hazard class(es)	
ADR/RID	6.1
Subsidiary risk	-
IMDG	6.1
Subsidiary risk	-
IATA	6.1
Subsidiary risk	-
14.4. Packing group	
Packing group	III
14.5. Environmental hazards	
Environmental hazards	Yes
Marine pollutant	Yes
ADR/RID	
Hazard ID	60
IMDG	
EmS Code	F-A S-A
IATA	
Packing Instruction (Cargo)	677
Maximum quantity	200 kg
Packing Instruction (Passenger)	670
Maximum quantity	100 kg

## SECTION 15: Regulatory information

## SECTION 16: Other information

Other information	
Revision	This document differs from the previous version in the following areas: 2 - 2.1.2. Classification - EC 1272/2008. 2 - Signal Word. 2 - Precautionary Statement: Prevention. 2 - Precautionary Statement: Response. 2 - Precautionary Statement: Storage. 2 - Precautionary Statement: Disposal.
Text of risk phrases in Section 3	R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R60 - May impair fertility. R61 - May cause harm to the unborn child.
Text of Hazard Statements in Section 3	Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects. Repr. 1B: H360FD - May damage fertility. May damage the unborn child.
General information	
	This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. The information supplied in this safety data sheet is

# Sif Silvercote No 43

Revision 1

Revision date 2015-11-16

---

## General information

	designed only as guidance for safe use, storage and handling of the product. This information relates only to the specific goods listed and may not be valid for such material used in combination with any other product(s).
--	---

---